I N D E X

TO GENERAL RADIO EXPERIMENTER

Volumes XVI and XVII, June 1941 through May 1943

INDEX BY TITLE

A 500,000-Ohm Rheostat Potentiometer (January, 1942)

A-C-Operated Power Supply for the Sound-Level Meter, An (H. H. Scott: January, 1942)

Address Changes and Additions to the "Experimenter" Mailing List (January, 1943)

An A-C-Operated Power Supply for the Sound-Level Meter (H. H. Scott: January, 1942)

Antenna Measurements with the Radio-Frequency Bridge (June, 1942)

Army-Navy "E", General Radio Company Wins (March, 1943)

Balanced Impedances with the R-F Bridge, Measuring (D. B. Sinclair: September, 1942)

Batteries for Battery-Operated Equipment, Substitute (January, 1943)

Battery-Operated Equipment, Substitute Batteries for (January, 1943)

Beat-Frequency Oscillator up to Date, Bringing the (H. H. Scott: July, 1942)

Booklet on Stroboscope Uses, New (December, 1942)

Bridge, A Redesign of the Vacuum Tube (W. N. Tuttle: November, 1941)

Bridge, Antenna Measurements with the Radio-Frequency (June, 1942)

Bridge for Use at Frequencies up to 60 Mc, A New R-F (D. B. Sinclair: August, 1942)

Bridge, Increased Power-Factor Range for the Capacitance (R. F. Field: April, 1942)

Bridge, Measuring Balanced Impedances with the R-F (D. B. Sinclair: September, 1942)

Bridge, Using a Polarizing Voltage with the Capacitance Test (September, 1942)

Bridges Assembled from Laboratory Parts, Impedance (Ivan G. Easton: July, 1941; August, 1941; September, 1941; October, 1941; November, 1941; December, 1941; January, 1942.)

Bringing the Beat-Frequency Oscillator up to Date (H. H. Scott: July, 1942)

Bringing the Catalog up to Date (September, 1941)

Broadcast Equipment (May, 1942)

Cables, Rubber-Covered (February, 1942)

Capacitance Bridge, Increased Power-Factor Range for the (R. F. Field: April, 1942)

Capacitance Test Bridge, Using a Polarizing Voltage with the (September, 1942)

Cathode-Ray Oscillograph in Frequency Comparisons, Using the (J. K. Clapp: December, 1941)

Changes and Additions to the "Experimenter" Mailing List, Address (January, 1943)

Characteristics of Decade Condensers, Frequency (R. F. Field: October, 1942)

Chart, Enlarged Inductance (December, 1942)

Coil?, How Good is an Iron-Cored (P. K. McElroy and R. F. Field: March, 1942)

Condensers, Frequency Characteristics of Decade (R. F. Field: October, 1942)

Decade Condensers, Frequency Characteristics of (R. F. Field: October, 1942)

Design, Progress in Signal Generator (H. H. Scott: November, 1942)

Dielectric Strength Tests with the Variac (May, 1942)

Discontinued Instruments (September, 1942)

Distortions at High Modulation Levels, Methods of Obtaining Low (C. A. Cady: April, 1943)

District Offices, Use Our (February, 1943)

Double Plug, A New Type 274-M (April, 1942)

Effects of Substitute Materials (December, 1942)

Enlarged Inductance Chart (December, 1942)

Equipment, Broadcast (May, 1942)

Errata - Service Department Notes (February, 1943)

Errata - Service and Maintenance Notes (May, 1942)

Errata - The Noise Primer (March, 1943)

Expediters, Note to (October, 1941)

"Experimenter" Mailing List, Address Changes and Additions to the (January, 1943)

Frequencies up to 60 Mc, A New R-F Bridge for Use at (D. B. Sinclair: August, 1942)

Frequency Characteristics of Decade Condensers (R. F. Field: October, 1942)

Frequency Comparisons, Using the Cathode-Ray Oscillograph in (J. K. Clapp: December, 1941)

Frequency Modulation (A. E. Thiessen: October, 1941)

General Purpose Wavemeter, A (E. Karplus: September, 1942)

General Radio Company Wins Army-Navy "E" (March, 1943)

Getting Display Interest with the Strobolux (November, 1941)

Have you any Idle Instruments? (May, 1942)

How Good is an Iron-Cored Coil? (P. K. McElroy and R. F. Field: March, 1942)

Idle Instruments?, Have you any (May, 1942)

If You Must Telephone (February, 1943)

Impedance Bridges Assembled from Laboratory Parts (Ivan G. Easton: July, 1941; August, 1941; September, 1941; October, 1941; November, 1941; December, 1941; January, 1942)

Impedances with the R-F Bridge, Measuring Balanced (D. B. Sinclair: September, 1942)

Increased Power-Factor Range for the Capacitance Bridge (R. F. Field: April, 1942)

Inductance Chart, Enlarged (December, 1942)

Instruments, Discontinued (September, 1942)

Instruments?, Have you any Idle (May, 1942)

Iron-Cored Coil?, How Good is an (P. K. McElroy and R. F. Field: March, 1942)

Laboratory Parts, Impedance Bridges Assembled from (Ivan G. Easton: July, 1941; August, 1941; September, 1941; October, 1941; November, 1941; December, 1941; January, 1942)

Linear and Torsional Vibrations with Electronic Instruments, The Measurement and Analysis of (Ivan G. Easton: February, 1942)

Low-Capacitance Terminals (April, 1942)

Mailing List, Address Changes and Additions to the "Experimenter" (January, 1943)

Maintenance will Keep them in Service, Periodic (October, 1942)

Materials, Effects of Substitute (December, 1942)

Materials, Substitute (A. E. Thiessen: April, 1942)

Measurement and Analysis of Linear and Torsional Vibrations with Electronic Instruments, The (Ivan G. Easton: February, 1942)

Measurements with the Radio-Frequency Bridge, Antenna (June, 1942)

Measuring Balanced Impedances with the R-F Bridge (D. B. Sinclair: September, 1942)

Meter, A 100-Watt Output Power (February, 1942)

Methods of Obtaining Low Distortions at High Modulation Levels (C. A. Cady: April, 1943)

Microflash, The - A Light Source for Ultra-High-Speed Photography (September, 1941)

Modulation, Frequency (A. E. Thiessen: October, 1942)

Modulation Levels, Methods of Obtaining Low Distortions at High (C. A. Cady: April, 1943)

More Information, Please! (Kipling Adams: October, 1941)

Multiplier for the Vacuum-Tube Voltmeter, A (July, 1941)

New Booklet on Stroboscope Uses (December, 1942)

New Resistance Values for Rheostat-Potentiometers (September, 1942)

New R-F Bridge for Use at Frequencies up to 60 MC, A (D. B. Sinclair: August, 1942)

New Type 274-M Double Plug, A (April, 1942)

Note to Expediters (October, 1941)

Notes, Service and Maintenance (April, 1942 and May, 1943)

Notes, Service and Maintenance - Corrections (June, 1942)

Notes, Service Department - Errata (February, 1943)

Obtaining Low Distortions at High Modulation Levels, Methods of (C. A. Cady: April, 1943)

Order M-293, WPB (May, 1943)

Order Now for Future Delivery (December, 1942)

Orders for Replacement Parts (H. H. Dawes: November, 1942)

Oscillator, A Vacuum-Tube-Driven Tuning-Fork (October, 1941)

Oscillator, The Type 757-A Ultra-High-Frequency (Arnold Peterson: August, 1941)

Oscillator up to Date, Bringing the Beat-Frequency (H. H. Scott: July, 1942)

Output Power Meter, A 100-Watt (February, 1942)

Parts, Orders for Replacement (H. H. Dawes: November, 1942)

Parts, Sell Us Your Unused (November, 1942)

Periodic Maintenance will Keep them in Service (October, 1942)

Photography, The Microflash - A Light Source for Ultra-High-Speed (September, 1941)

Plug, A New Type 274-M Double (April, 1942)

Polarizing Voltage with the Capacitance Test Bridge, Using a (September, 1942)

Potentiometer, A 500,000-Ohm Rheostat (January, 1942)

Power-Factor Range for the Capacitance Bridge, Increased (R. F. Field: April, 1942)

Power Supply for the Sound-Level Meter, An A-C-Operated (H. H. Scott: January, 1942)

Primer, The Noise (H. H. Scott: January, 1943; February, 1943; March, 1943; April, 1943; May, 1943)

Priorities (January, 1942)

Priorities and Repairs (H. H. Dawes: April, 1942)

Priority Orders of Interest to Buyers of GR Equipment, Recent (Martin A. Gilman: July, 1942)

Progress in Signal Generator Design (H. H. Scott: November, 1942)

Pulse of Turbines, Taking the (September, 1942)

Radio-Frequency Bridge, Antenna Measurements with the (June, 1942)

Recent Priority Orders of Interest to Buyers of GR Equipment (Martin A. Gilman: July, 1942)

Sign of the Vacuum-Tube Bridge, A (W. N. Tuttle: November, 1941)

Regulation of Variacs, Voltage (Martin A. Gilman: December, 1942)

Repairs, Priorities and (H. H. Dawes: April, 1942)

Replacement Parts, Orders for (H. H. Dawes: November, 1942)

Resistance Values for Rheostat-Potentiometers, New (September, 1942)

Rheostat Potentiometer, A 500,000-Ohm (January, 1942)

Rheostat-Potentiometers, New Resistance Values for (September, 1941)

Rubber-Covered Cables (February, 1942)

Sell us Your Unused Parts (November, 1942)

Service and Maintenance Notes (April, 1942 and May, 1943)

Service and Maintenance Notes - Corrections (June, 1942)

Service and Maintenance Notes - Errata (May, 1942)

Service and Maintenance Notes to be Available (H. H. Dawes: June, 1941)

Service Department Notes - Errata (February, 1943)

Service, Periodic Maintenance will Keep them in (October, 1942)

Shipment Overdue? (H. H. Dawes: May, 1943)

Signal Generator Design, Progress in (H.H. Scott: November, 1942)

Sound-Level Meter, An A-C-Operated Power Supply for the (H. H. Scott: January, 1942)

Strobolux, Getting Display Interest with the (November, 1941)

Stroboscope Uses, New Booklet on (December, 1942)

Substitute Batteries for Battery-Operated Equipment (January, 1943)

Substitute Materials (A. E. Thiessen: April, 1942)

Substitute Materials, Effects of (December, 1942)

Taking the Pulse of Turbines (September, 1942)

Terminals, Low-Capacitance (April, 1942)

Tests with the Variac, Dielectric Strength (May, 1942)

The Noise Primer (H. H. Scott: January, 1943; February, 1943; March, 1943; April, 1943; May, 1943)

Thermocouples (Type 493, Discontinued) (December, 1941)

Tuning-Fork Oscillator, A Vacuum-Tube-Driven (October, 1941)

Turbines, Taking the Pulse of (September, 1942)

Type 761-A Vibration Meter - Erratum (August, 1941)

Type 774 Coaxial Connectors - Errata (June, 1941)

Ultra-High-Frequency Oscillator, The Type 757-A (Arnold Peterson: August, 1941)

Unused Parts, Sell us Your (November, 1942)

Use Our District Offices (February, 1943)

Uses, New Booklet on Stroboscope (December, 1942)

Using a Polarizing Voltage with the Capacitance Test Bridge (September, 1942)

Using the Cathode-Ray Oscillograph in Frequency Comparisons (J. K. Clapp: December, 1941)

Vacuum Tube Bridge, A Redesign of the (W. N. Tuttle: November, 1941)

Vacuum-Tube-Driven Tuning-Fork Oscillator, A (October, 1941)

Vacuum-Tube Voltmeter, A Multiplier for the (July, 1941)

Vacuum-Tube Voltmeter, The Type 727-A (W. N. Tuttle: May, 1942)

Variac, Dielectric Strength Tests with the (May, 1942)

Variac, Type 200-B (May, 1943)

Variacs, Voltage Regulation of (Martin A. Gilman: December, 1942)

Vibration Meter, The - A New Electronic Tool for Industry (H. H. Scott: June, 1941)

Vibration Meter, Type 761-A - Erratum (August, 1941)

Vibrations with Electronic Instruments, The Measurement and Analysis of Linear and Torsional (Ivan G. Easton: February, 1942)

Voltage Regulation of Variacs (Martin A. Gilman: December, 1942)

Voltage with the Capacitance Test Bridge, Using a Polarizing (September, 1942)

Voltmeter, A Multiplier for the Vacuum-Tube (July, 1941)

Voltmeter, The Type 727-A Vacuum-Tube (W. N. Tuttle: May, 1942)

Wavemeter, A General Purpose (E. Karplus: September, 1942)

WPB Order M-293 (May, 1943)

50 Variac
Voltage Regulation of Variacs (Martin A. Gilman: December, 1942)

100 Variac
Voltage Regulation of Variacs (Martin A. Gilman: December, 1942)

138-UL Binding Post Assembly
Low-Capacitance Terminals (April, 1942)

200 Variac
Voltage Regulation of Variacs (Martin A. Gilman: December, 1942)

200-B Variac
Type 200-B Variac (May, 1943)

200-C Variac
Dielectric Strength Tests with the Variac (May, 1942)

214-A Rheostat-Potentiometer
New Resistance Values for Rheostat-Potentiometers (September, 1941)

219 Decade Condenser
Frequency Characteristics of Decade Condensers (R. F. Field: October, 1942)

274-M Double Plug
A New Type 274-M Double Plug (April, 1942)

274 Plugs and Jacks
New Prices for Type 274 Plugs and Jacks (August, 1941)

301-A Rheostat-Potentiometer
New Resistance Values for Rheostat-Potentiometers (September, 1941)

314-A Rheostat-Potentiometer
New Resistance Values for Rheostat-Potentiometers (September, 1941)

335-A Rheostat-Potentiometer
New Resistance Values for Rheostat-Potentiometers (September, 1941)

371-A Rheostat-Potentiometer
New Resistance Values for Rheostat-Potentiometers (September, 1942)

380 Decade-Condenser Unit
Frequency Characteristics of Decade Condensers (R. F. Field: October, 1942)

433-A Rheostat Potentiometer
A 500,000-Ohm Rheostat Potentiometer (January, 1942)

471-A Rheostat Potentiometer
New Resistance Values for Rheostat-Potentiometers (September, 1941)

[illegible] Microflash
The Microflash - A Light Source for Ultra-High-Speed Photography (September, 1941)

516-C Radio-Frequency Bridge
Antenna Measurements with the Radio-Frequency Bridge (June, 1942)

533-A Rheostat-Potentiometer
New Resistance Values for Rheostat-Potentiometers (September, 1941)

561-D Vacuum Tube Bridge
A Redesign of the Vacuum Tube Bridge (W. N. Tuttle: November, 1941)

566-A Wavemeter
A General Purpose Wavemeter (E. Karplus: September, 1942)

699 Comparison Oscilloscope
Using the Cathode-Ray Oscillograph in Frequency Comparisons (J. K. Clapp: December, 1941)

713-B Beat-Frequency Oscillator
Taking the Pulse of Turbines (September, 1942)

716-B Capacitance Bridge
Increased Power-Factor Range for the Capacitance Bridge (R. F. Field: April, 1942)

740 Vacuum-Tube Fork
A Vacuum-Tube-Driven Tuning-Fork Oscillator (October, 1941)

726-P1 Multiplier
A Multiplier for the Vacuum-Tube Voltmeter (July, 1942)

727-A Vacuum-Tube Voltmeter
The Type 727-A Vacuum-Tube Voltmeter (W. N. Tuttle: May, 1942)

740-B Capacitance Test Bridge
Using a Polarizing Voltage with the Capacitance Test Bridge (September, 1942)

757-P1 Power Supply
Specifications for Type 757-P1 Power Supply (August, 1941)

757-A Ultra-High-Frequency Oscillator
The Type 757-A Ultra-High-Frequency Oscillator (Arnold Peterson: August, 1941)

759-B Sound-Level Meter
759-P52 Vibration Pickup
759-P36 Control Box
The Measurement and Analysis of Linear and Torsional Vibrations with Electronic Instruments (Ivan G. Easton: February, 1942)

759-P50 A-C Power Supply
An A-C-Operated Power Supply for the Sound Level Meter (H. H. Scott: January, 1942)

761-A Vibration Meter
The Vibration Meter - A New Electronic Tool for Industry (H. H. Scott: June, 1941)
Erratum - Type 761-A Vibration Meter (August, 1941)

774 Coaxial Connectors
Errata - Type 774 Coaxial Connectors (June, 1941)

783-A Output Power Meter
A 100-Watt Output Power Meter (February, 1942)

805-A Standard-Signal Generator
Methods of Obtaining Low Distortions at High Modulation Levels (C. A. Cady: April, 1943)
Progress in Signal Generator Design (H.H. Scott: November, 1942)

913-A Beat-Frequency Oscillator
Bringing the Beat-Frequency Oscillator up to Date (H. H. Scott: July, 1942)

916-A Radio-Frequency Bridge
A New R-F Bridge for Use at Frequencies up to 60 Mc (D. B. Sinclair: August, 1942)

s, Kipling
More Information, Please! (October, 1941)

Cady, C. A.
Methods of Obtaining Low Distortions at High Modulation Levels (April, 1943)

Clapp, J. K.
Using the Cathode-Ray Oscillograph in Frequency Comparisons (December, 1941)

Dawes, H. M.
Orders for Replacement Parts (November, 1942)
Priorities and Repairs (April, 1942)
Service and Maintenance Notes to be Available (June, 1941)
Shipment Overdue? (May, 1943)

Hanson, Ivan G.
Impedance Bridges Assembled from Laboratory Parts (July, 1941; August, 1941; September, 1941; October, 1941; November, 1941; December, 1941; January, 1942)
The Measurement and Analysis of Linear and Torsional Vibrations with Electronic Instruments (February, 1942)

Field, R. F.
Frequency Characteristics of Decade Condensers (October, 1942)
Increased Power-Factor Range for the Capacitance Bridge (April, 1942)

Field, R. F. and P. K. McElroy
How Good is an Iron-Cored Coil? (March, 1942)

Gilman, Martin A.
Recent Priority Orders of Interest to Buyers of CR Equipment (July, 1942)
Voltage Regulation of Variacs (December, 1942)

Karplus, E.
A General Purpose Wavemeter (September, 1942)

McElroy, P. K.(and R. F. Field)
How Good is an Iron-Cored Coil? (March, 1942)

Peterson, Arnold
The Type 757-A Ultra-High-Frequency Oscillator (190 to 600 Megacycles) (August, 1941)

Scott, H. H.
An A-C-Operated Power Supply for the Sound-Level Meter (January, 1942)
Bringing the Beat-Frequency Oscillator up to Date (July, 1942)
Progress in Signal Generator Design (November, 1942)
The Noise Primer (January, 1943; February, 1943; March, 1943; April, 1943; May, 1943)
The Vibration Meter - A New Electronic Tool for Industry (June, 1941)

Sinclair, D. B.
A New R-F Bridge for Use at Frequencies up to 60 Mc (August, 1942)
Measuring Balanced Impedances with the R-F Bridge (September, 1942)

Thiessen, A. E.
Frequency Modulation (October, 1941)
Substitute Materials (April, 1942)

Tuttle, W. N.
A Redesign of the Vacuum Tube Bridge (November, 1941)
The Type 727-A Vacuum-Tube Voltmeter (May, 1942)